A B 🔺 R C A

NCPDP Transmission Specifications

Payer Sheet – Medicaid

General Information

Payer Name: South Country Health Alliance Medicaid	Release Date: 01/01/2021
Processor: Abarca Health	Standard: NCPDP D.Ø

Switches: Emdeon & RelayHealth

South Country Health Alliance Medicaid Customer Services / Providers Department: 1-866-935-8874

South Country Health Alliance Medicaid Provider Services: 1-866-935-8874

PerformRx Provider Relations Help Desk (Contracting Issues Only): 1-800-555-5690

PerformRx Provider Relations Contact: pharmacynetworkcontracting@performrx.com

Providers Portal: https://prx.darwinrx.com/providers

Abarca Technical Issues (POS, Provider Portal Connectivity Issues Only): 1-866-286-6765

Supported Transmissions

B1	Claim Billing
B2	Claim Reversal



Overview

This document contains important information for pharmacy claim submission at the point of sale for Medicare plans.

The following specifications are based on the NCPDP D.Ø standard and are intended to explain how Abarca Health's processor handles supported transmissions. This document supplements, but does not contradict nor supersede, the official NCPDP Telecommunication Standard Version D.Ø implementation guide.

Users of this document should consult the NCPDP related documents listed below for further information and/or clarification:

NCPDP Telecommunication Implementation Guide Version D.Ø				
Data Dictionary Full reference to all fields and values used in the NCPDP standard with examples.				
External Code List Full reference to values used in the NCPDP standard.				

Segment & Field Designation

This document lists segments and fields necessary for the proper composition of a transmission (see Supported Transmissions.) Depending on their designation, the sender should always (or conditionally) include some of them. This document uses the following designations:

М	Mandatory Fields required in accordance with the NCPDP Telecommunication Implementation Guide Version D.Ø.
R	Required Fields defined as situational by the NCPDP Telecommunication Implementation Guide Version D.Ø but required by Abarca Health's processor.
RW	Required When Conditional fields that are required based on a specific transmission scenario. Make sure to check the Comments and Value columns to understand when and how these fields should be included.
0	Optional Field may or may not be sent.
R	Repetition One or more values can be specified.

Optional fields defined by the NCPDP Telecommunication Implementation Guide Version D.Ø not included in this document can still be sent, but will not be observed by the processor's business logic. However, they must contain values that conform to the NCPDP standard.

Claim Billing Transmissions

These transmissions are used by the service provider to request payment from the processor for a specific patient for claims billed according to appropriate plan parameters.

Transaction Header Segment

Field ID	Name	Designation	Value(s)	Comments
1Ø1-A1	Bin Number	М	019595	
1Ø2-A2	Version Release Number	М	DØ	
1Ø3-A3	Transaction Code	М	B1	B1 = Billing
1Ø4-A4	Processor Control Number	М	06180000	
1Ø9-A9	Transaction Count	М	1	Up to 1 (one) transaction per transmission are permitted
2Ø2-B2	Service Provider ID Qualifier	М	Ø1	Ø1 = NPI Only NPI will be accepted
2Ø1-B1	Service Provider ID	М		National Provider ID (NPI)
4Ø1-D1	Date of Service	М		CCYYMMDD format
11Ø-AK	Software Vendor / Certification ID	М		Blanks are accepted

Insurance Segment

Mandatory

Mandatory

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø4	Insurance segment
3Ø2-C2	Cardholder ID	М		Use value as printed on the beneficiary's ID Card.
3Ø1-C1	Group ID	0		
306-C6	Patient Relationship Code	0	01- Cardholder	

Mandatory

B A R C A Α

Patient Segment

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø1	Patient segment
3Ø4-C4	Date of Birth	R		CCYYMMDD format
3Ø5-C5	Patient Gender Code	0	1 or 2	1 = Male 2 = Female
3Ø7-C7	Place of Service	0		Refer to External Code List for values and definitions.
31Ø-CA	Patient First Name	0		
311-CB	Patient Last Name	R		
384-4X	Patient Residence	0		

Claim Segment

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø7	Claim segment
455-EM	Prescription / Service Reference Number Qualifier	М	Ø1	Ø1 = Rx Billing Blank value will be treated as Ø1 (Rx Billing). Imp Guide: For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	Prescription / Service Reference Number	М		
436-E1	Product / Service ID Qualifier	М	Ø3	Ø3 = NDC Only NDC will be accepted
4Ø7-D7	Product / Service ID	М		National Drug Code (NDC). Use Ø (zero) for multi-ingredient (compound) prescriptions. Format = MMMMMDDDDPP
456-EN	Associated Prescription / Service Reference Number	RW		Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription. Required if transaction is the "completion" transaction in a partial fill

Abarca Health

Mandatory



				(Dispensing Status (343-HD) = "C" (Completed)).
457-EP	Associated Prescription / Service Date	RW		Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription. Required if transaction is the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)).
460-ET	Quantity Prescribed	RW		Used to identify incremental fills for Schedule II drug claims, as required under CMS-0055-F Quantity Prescribed Final Rule
442-E7	Quantity Dispensed	R		
4Ø3-D3	Fill Number	R	Ø to 99	Ø = Original 1 to 99 = Refill number
4Ø5-D5	Days Supply	R		
4Ø6-D6	Compound Code	R	1 or 2	1 = Not Compound 2 = Compound
4Ø8-D8	Dispense as Written (DAW) / Product Selection Code	R	Ø to 9	Refer to External Code List for value definitions.
414-DE	Date Prescription Written	R		CCYYMMDD format
415-DF	Number of Refills Authorized	RW	Ø to 99	Imp Guide: Required if necessary for plan benefit administration.
				Payer Requirement: Same as Imp Guide
419-DJ	Prescription Origin Code	R	0 to 5	Imp Guide: Required if necessary for plan benefit administration.
354-NX	Submission Clarification Code Count	RW	1 to 3	Maximum count of 3. Required if Submission Clarification Code (42Ø-DK) is used.



42Ø-DK	Submission Clarification Code	RW		Required if clarification is needed and value submitted is greater than zero (\emptyset).
3Ø8-C8	Other Coverage Code	RW	02=Other coverage exists- payment collected 03= other coverage exists- this claim not covered 4= other coverage exists- payment not collected	Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits. Allow OCC 2,3, and 4
461-EU	Prior Authorization Type Code	RW	1	 Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Same as Imp Guide. 1 = Prior Authorization Required when Prior Authorization Number Submitted (462-EV) is used.
462-EV	Prior Authorization Number Submitted	RW		Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Same as Imp Guide. Prior Authorization (PA) code provided by the processor when a claim has been rejected and can be overridden without clinical intervention. When a PA code is available, it will be sent in the rejected claim's Response Status Segment via Additional Message Information (526-FQ).
343-HD	Dispensing Status	RW	P, C	Required for the partial fill or the completion fill of a prescription.
344-HF	Quantity Intended To Be Dispensed	RW		Required for the partial fill or the completion fill of a prescription.
345-HG	Days Supply Intended To Be Dispensed	RW		Required for the partial fill or the completion fill of a prescription.
147-U7	Pharmacy Service Type	0	1 to 8, 99	Refer to External Code List for value definitions.



995-E2 Route of Administration RW	 Required for compound claims. This field must be sent and populated appropriately for all compound claims to indicate the route of administration of the complete compound mixture. For oral compounds, submit code 26654006. For inhalation compounds, submit code 112239003. For all other compound claims, refer to the SNOMED-CT codes on NCPDP.org under standards. ***Compound claims sent without this field will reject for NCPDP 70 or require to be resubmitted with the proper SNOMED code.
--------------------------------------	--

Pricing Segment

Pricing Segment Manualo				
Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	11	Pricing segment
4Ø9-D9	Ingredient Cost Submitted	R		
412-DC	Dispensing Fee Submitted	RW		Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. Payer Requirement: Same as Imp Guide.
433-DX	Patient Paid Amount Submitted	RW		Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Same as Imp Guide.
478-H7	Other Amount Claimed Submitted Count	RW		Imp Guide: Required if Other Amount Claimed Submitted Qualifier (479-H8) is used. Payer Requirement: (Same as Imp Guide).
479-H8	Other Amount Claimed Submitted Qualifier	RW		Imp Guide: Required if Other Amount Claimed Submitted (48Ø-H9) is used. Payer Requirement: (Same as Imp Guide).
480-H9	Other Amount Claimed Submitted	RW		Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. Payer Requirement: (Same as Imp Guide).
438-E3	Incentive Amount Submitted	RW		Required when Vaccine Administration transmissions are sent. Contains the

Mandatory

			pharmacy administration fee amount. <i>Must also populate the Professional Service code (44Ø-E5 from DUR / PPS Segment) with 'MA'</i> .
426-DQ	Usual And Customary Charge	R	Must be submitted with an amount greater than \$0
43Ø-DU	Gross Amount Due	R	Imp Guide: GAD Required. Necessary for plan benefit administration.
481-HA	Flat Sales Tax Amount Submitted	RW	Required when flat sales tax is applicable to the product dispensed.
482-GE	Percentage Sales Tax Amount Submitted	RW	Required when submitting Percentage Sales Tax Rate Submitted (483-HE) and Percentage Sales Tax Basis Submitted (484-JE).
483-HE	Percentage Sales Tax Rate Submitted	RW	Required when submitting Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE).
484-JE	Percentage Sales Tax Basis Submitted	RW	Required when submitting Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE).
423-DN	Basis of Cost Determination	RW	Imp Guide: Required if needed for receiver claim/encounter adjudication. Payer Requirement: Same as Imp Guide.

Prescriber Segment

Required

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø3	Prescriber segment
466-EZ	Prescriber ID Qualifier	R	Ø1 - NPI	Imp Guide: Required if Prescriber ID (411- DB) is used. Ø1 = National Provider ID (NPI)
411-DB	Prescriber ID	R		Imp Guide: Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. Payer Requirement: Prescriber NPI required. If claim rejects for NCPDP reject code 25 (M/I Prescriber ID), contact our



			Pharmacy Contact Center for further information
367-2N	Prescriber State / Province Address	0	

COB / Other Payments Segment

Optional

Used only when transmission is sent to a secondary, tertiary, etc. payer. Never send to primary payer. Only 1 (one) transaction per transmission is permitted when this segment is used. Vaccine administration transmissions cannot be sent with this segment.

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø5	COB / Other Payments segment
337-4C	COB / Other Payments Count	М	1 to 9	Maximum count of 9
338-5C	Other Payer Coverage Type	М	Ø1 to Ø9	Refer to External Code List for value definitions.
339-6C	Other Payer ID Qualifier	RW	Ø1, Ø2, Ø3, Ø4, Ø5, 99	Payer Requirement: (Same as Imp Guide). Required if Other Payer ID (34Ø- 7C) is used.
34Ø-7C	Other Payer ID	RW		Imp Guide: Required if identification of the Other Payer is necessary for claim/encounter adjudication. Payer Requirement: (Same as Imp Guide). Required if identification of the Other Payer is necessary for claim/encounter adjudication.
443-E8	Other Payer Date	RW		Imp Guide: Required if identification of the Other Payer is necessary for claim/encounter adjudication. Payer Requirement: (Same as Imp Guide). CCYYMMDD format. Required if Other Payer ID (34Ø-7C) is used.
341-HB	Other Payer Amount Paid Count	RW	1 to 9	Required if Other Payer Amount Paid Qualifier (342-HC) is used. <i>Payer Requirement:</i> (Same as Imp Guide).
342-HC	Other Payer Amount Paid Qualifier	RW		Required if Other Payer Amount Paid (431- DV) is used. <i>Payer Requirement:</i> (Same as Imp Guide).



431-DV	Other Payer Amount Paid	RW		Required if other payer has approved payment for some/all of the billing. Not used for patient financial responsibility only billing. Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted. Payer Requirement: (Same as Imp Guide).
471-5E	Other Payer Reject Count	RW	1 to 5	Maximum count of 5. Required when Other Payer Reject Code (472-6E) is used. <i>Payer Requirement:</i> (Same as Imp Guide).
472-6E	Other Payer Reject Code	RW		Must only contain valid NCPDP Reject Codes. Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered). Payer Requirement: (Same as Imp Guide).

DUR/PPS Segment

Required When

Segment required only when additional information is needed (112-AN) is A (accepted), P (paid) or D (duplicate of paid).

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	RW	08	DUR/PPS Segment
473-7E	DUR/PPS Code Counter	RW	1 to 9	<i>Imp Guide:</i> Required if DUR/PPS Segment is used. Maximum Count 9
439-E4	Reason for Service Code	RW		 <i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. <i>Payer Requirement:</i> (Same as Imp Guide).
440-E5	Professional Service Code	RW		<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient

			financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. MA = Medication Administration (for vaccine administrations) <i>Payer Requirement:</i> (Same as Imp Guide).
441-E6	Result of Service Code	RW	Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. Payer Requirement: (Same as Imp Guide).

Compound Segment

Required When

Segment required only when a Compound transmission is sent. Include segment when Compound Code (4Ø6-D6 from Claim segment) is sent with value of 2 (two).

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	1Ø	Compound segment
45Ø-EF	Compound Dosage Form Description Code	Μ	Ø1, Ø2, Ø3, Ø4, Ø5, Ø6, Ø7, 1Ø, 11, 12, 13, 14, 15, 16, 17, 18	Refer to External Code List for value definitions. Blank is accepted.
451-EG	Compound Dispensing Unit Form Indicator	М	1 to 3	1 = Each 2 = Grams 3 = Milliliters
447-EC	Compound Ingredient Component Count	М	2 to 25	Minimum of 2 and a maximum of 25 ingredients per transmission.
488-RE	Compound Product ID Qualifier	M**R**	Ø3	Ø3 = National Drug Code (NDC)
489-TE	Compound Product ID	M**R**		National Drug Code (NDC).
448-ED	Compound Ingredient Quantity	M**R**		

Payer Sheet - Medicare



449-EE	Compound Ingredient Drug Cost	RW	Required if needed for receiver claim determination when multiple products are billed. Payer Requirement: (Same as Imp Guide).
490-UE	Compound Ingredient Basis of Cost Determination	RW	Required if needed for receiver claim determination when multiple products are billed. Payer Requirement: (Same as Imp Guide).

Clinical Segment

Required When

Segment required only when additional information is needed (112-AN) is A (accepted), P (paid) or D (duplicate of paid).

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	RW	13	Clinical Segment
491-VE	Diagnosis Code Count	RW	Maximum Count 5	Imp Guide: Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used. Payer Requirement: (Same as Imp Guide).
492-WE	Diagnosis Code Qualifier	RW		Imp Guide: Required if Diagnosis Code (424- DO) is used. Payer Requirement: (Same as Imp Guide).
424-DO	Diagnosis Code	RW		Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for professional pharmacy service. Required if this information can be used in place of prior authorization. Required if necessary for state/federal/regulatory agency programs.
				Payer Requirement: (Same as Imp Guide).



Claim Reversal Transmissions

The reversal transmission is used to "back out" a previously paid prescription. Up to 4 reversal transactions per transmission is permitted. However, a transmission containing multiple reversals for multiple patients will not be allowed.

Matching for a claim to be reversed is done by: Processor Control Number, Service Provider ID, Date of Service, Cardholder ID, Prescription / Service Reference Number, Product / Service ID, and Fill Number (all inclusive). Failing to provide all these details with precision will cause a rejection in most cases.

All reversals are final and cannot be un-done. We strongly advise to double check all reversals before submission to avoid any unintended consequences.

Field ID	Name	Designation	Value(s)	Comments
1Ø1-A1	Bin Number	М	019595	
1Ø2-A2	Version Release Number	М	DØ	
1Ø3-A3	Transaction Code	М	B2	B2 = Reversal
1Ø4-A4	Processor Control Number	М	06180000	
1Ø9-A9	Transaction Count	М	1	Up to 1 (one) transactions per transmission are permitted
2Ø2-B2	Service Provider ID Qualifier	М	Ø1	Ø1 = NPI Only NPI will be accepted
2Ø1-B1	Service Provider ID	М		National Provider ID (NPI)
4Ø1-D1	Date of Service	М		CCYYMMDD format
11Ø-AK	Software Vendor / Certification ID	М		Blanks are accepted

Transaction Header Segment

insurance Segment	ance Segment	ament	Seq	nce	ura	Ins
-------------------	--------------	-------	-----	-----	-----	-----

Mandatory

Mandatory

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø4	Insurance segment
3Ø2-C2	Cardholder ID	М		Use value as printed on the beneficiary's ID Card
3Ø1-C1	Group ID	0		

Payer Sheet - Medicare

Patient Segment

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	Ø1	Patient segment
3Ø4-C4	Date of Birth	R		CCYYMMDD format
3Ø5-C5	Patient Gender Code	0	1 or 2	1 = Male 2 = Female
3Ø7-C7	Place of Service	RW		Refer to External Code List for values and definitions.
31Ø-CA	Patient First Name	0		
311-CB	Patient Last Name	0		
384-4X	Patient Residence	0		

Claim Segment

Name

Segment Identification

Prescription / Service

Reference Number

Field ID

111-AM

455-EM

Value(s) Designation Comments Ø7 Claim segment 1 1 = Rx Billing Blank value will be defaulted to 1 (Rx

	Qualifier			Billing)
4Ø2-D2	Prescription / Service Reference Number	М		
436-E1	Product / Service ID Qualifier	М	Ø3	Ø3 = NDC Only NDC will be accepted
4Ø7-D7	Product / Service ID	М		National Drug Code (NDC). Use Ø (zero) for multi-ingredient (compound) prescriptions.
4Ø3-D3	Fill Number	R	Ø to 99	Ø = Original 1 to 99 = Refill number

Μ

М

Response Transmission

The following lists the segments and fields in a Claim Billing or Claim Reversal response Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Response Header Segment

Mandatory

Mandatory

Payer Sheet - Medicare

Field ID	Name	Designation	Value(s)	Comments
1Ø2-A2	Version Release Number	М	DØ	
1Ø3-A3	Transaction Code	М	B1, B2	B1 = Billing B2 = Reversal
1Ø9-A9	Transaction Count	М	1	The amount of response transactions will match the amount of request transactions sent in the billing or reversal transmission.
5Ø1-F1	Header Response Status	М	A, D, R	A = Accepted D = Duplicate of Paid R = Rejected
2Ø2-B2	Service Provider ID Qualifier	М	Ø1	Ø1 = NPI
2Ø1-B1	Service Provider ID	М		National Provider ID (NPI) to which the response is being sent.
4Ø1-D1	Date of Service	М		CCYYMMDD format

Response Message Segment

Value(s) Field ID Designation Comments Name 111-AM Segment Identification Μ 2Ø Response Message segment 5Ø4-F4 0 Transmission level clarification details if Message needed. In most cases the patient name will be sent.

Response Insurance Segment

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	2Ø	Response Message segment
524-FO	Plan ID	0		

Response Status Segment

A response status segment will be included for each transaction contained in the request transmission.

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	21	Response Status segment
112-AN	Transaction Response Status	М	P, A, D, R	P = Paid A = Approved

Payer Sheet - Medicare

Abarca Health

Optional

Optional

Mandatory

				D = Duplicate of Paid R = Rejected
5Ø3-F3	Authorization Number	RW		Internal Claim Number (ICN). Only sent when a billing or reversal record was generated in the processor's claim system.
				Payer Requirement: (Same as Imp Guide).
51Ø-FA	Reject Count	RW		Maximum count of 5. Required when Reject Code (511-FB) is used.
511-FB	Reject Code	RW		Required when Transaction Response Status (112-AN) is R (Rejected).
547-5F	Approved Message Code Count	RW		Required when Approved Message Code (548-6F) is used.
				Payer Requirement: (Same as Imp Guide).
548-6F	Approved Message Code	RW	ØØ1, ØØ2, ØØ3, ØØ4, ØØ5, ØØ6, Ø19, Ø21	Refer to External Code List for value definitions. Optionally sent when Transaction Response Status (112-AN) is P (Paid).
				Payer Requirement: (Same as Imp Guide).
13Ø-UF	Additional Message Information Count	RW	1 to 25	Maximum count of 25. Required when Additional Message Information (526-FQ) is used.
132-UH	Additional Message Information Qualifier	RW **R**	Ø1 to Ø9	Refer to External Code List for value definitions. Required when Additional Message Information (526-FQ) is used.
				Payer Requirement: (Same as Imp Guide).
526-FQ	Additional Message Information	RW **R**		Required when additional text is needed for clarification or detail.
				Payer Requirement: (Same as Imp Guide).
131-UG	Additional Message Information Continuity	RW **R**	+ (plus sign)	Required when current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
				Payer Requirement: (Same as Imp Guide).
549-7F		RW	Ø3	Ø3 = Processor / PBM
	Help Desk Phone Number Qualifier	L V V	~~	Required when Help Desk Phone Number (55Ø-8F) is used.



55Ø-8F	Help Desk Phone Number	RW	Only sent when the Transaction Response Status (112-AN) is R (Rejected).
			Payer Requirement: (Same as Imp Guide).

Response Claim Segment

Required When

Required when the Transaction Response Status (112-AN) is A (accepted), P (paid) or D (duplicate of paid).

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	22	Response Claim segment
455-EM	Prescription / Service Reference Number Qualifier	М	1	1 = Rx Billing
4Ø2-D2	Prescription / Service Reference Number	М		Same value sent in the original billing or reversal transaction.
551-9F	Preferred Product Count	RW	1 to 6	Maximum count of 6. Required when Preferred Product ID (553-AR) is used.
552-AP	Preferred Product ID Qualifier	RW **R**	Ø3	Ø3 = National Drug Code (NDC). Required when Preferred Product ID (553-AR) is used.
553-AR	Preferred Product ID	O**R**		National Drug Code (NDC)
554-AS	Preferred Product Incentive	O**R**		
555-AT	Preferred Product Cost Share Incentive	O**R**		
556-AU	Preferred Product Description	O**R**		

Response Pricing Segment

Required When

Required when the Transaction Response Status (112-AN) is A (accepted), P (paid) or D (duplicate of paid). Not included in reversal responses.

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	23	Response Pricing segment
5Ø5-F5	Patient Pay Amount	R		Amount the patient is expected to pay (out of pocket).
5Ø6-F6	Ingredient Cost Paid	R		
5Ø7-F7	Dispensing Fee Paid	R		In the case of vaccine administrations, if there is a vaccine flat price contracted with



				the service provider, the field will contain Ø (zero).
557-AV	Tax Exempt Indicator	0	1	1 = Payer / Plan is tax exempt
558-AW	Flat Sales Tax Amount Paid	RW		Required when Flat Sales Tax Amount Submitted (481-HA) is greater than $Ø$ (zero) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement. Otherwise $Ø$ (zero) will be sent.
559-AX	Percentage Sales Tax Amount Paid	RW		Required when Percentage Sales Tax Amount Submitted (482-GE) is greater than Ø (zero). Otherwise Ø (zero) will be sent. Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.
56Ø-AY	Percentage Sales Tax Rate Paid	RW		Required when Percentage Sales Tax Amount Paid (559-AX) is greater than Ø (zero).
				Payer Requirement: (Same as Imp Guide).
561-AZ	Percentage Sales Tax Basis Paid	RW	Ø2, Ø3	Ø3 = Ingredient Cost + Dispensing Fee Required when Percentage Sales Tax Amount Paid (559-AX) is greater than Ø (zero).
				Payer Requirement: (Same as Imp Guide).
521-FL	Incentive Amount Paid	RW		Required if Incentive Amount Submitted (483-E3) is greater than Ø (zero). Required when a vaccine administration
				claim is processed. It contains the administration fee. If there is a vaccine flat price contracted with the service provider, the field will contain Ø (zero).
566-J5	Other Payer Amount Recognized	RW		Required when the billing claim had Coordination of Benefits (COB) amounts.
5Ø9-F9	Total Amount Paid	R		Amount covered by the plan.
522-FM	Basis of Reimbursement Determination	RW	Ø to 21	Required when Ingredient Cost Paid (5Ø6- F6) is greater than Ø (zero). Refer to External Code List for value definitions.
				Payer Requirement: (Same as Imp Guide).

517-FH	i17-FH Amount Applied to Periodic Deductible	RW	Required when the Patient Pay Amount (5Ø5-F5) includes deductible.
			Payer Requirement: (Same as Imp Guide).
518-FI	Amount of Copay	RW	Required when the Patient Pay Amount (5Ø5-F5) includes copay as patient financial responsibility. <i>Payer Requirement:</i> (Same as Imp Guide).
52Ø-FK	Amount Exceeding Periodic Benefit Maximum	RW	Required when the Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum. Payer Requirement: (Same as Imp Guide).
575-EQ	Patient Sales Tax Amount	0	Used when necessary to identify the Patient's portion of the Sales Tax. Payer Requirement: (Same as Imp Guide).
574-2Y	Plan Sales Tax Amount	0	Used when necessary to identify the Plan's portion of the Sales Tax. Payer Requirement: (Same as Imp Guide).
572-4U	Amount of Coinsurance	RW	Required if Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility. Payer Requirement: (Same as Imp Guide).
134-UK	Amount Attributed to Product Selection / Brand Drug	RW	Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug. Payer Requirement: (Same as Imp Guide).

Response DUR / PPS Segment

Optional

Optionally used when the Transaction Response Status (112-AN) is A (accepted), P (paid) or D (duplicate of paid). Not included in reversal responses.

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	24	Response DUR / PPS segment
567-J6	DUR / PPS Response Code Counter	RW **R**	1 to 9	Maximum counter of 9. Required when segment is used. <i>Payer Requirement:</i> (Same as Imp Guide).
439-E4	Reason for Service Code	RW **R**	Refer to External Code List for all possible values.	Required when utilization conflict is detected. <i>Payer Requirement:</i> (Same as Imp Guide).



528-FS	Clinical Significance Code	RW **R**	1, 2, 3, 9	 1 = Major 2 = Moderate 3 = Minor 9 = Undetermined Required when needed to supply additional information for the utilization conflict. Payer Requirement: (Same as Imp Guide).
53Ø-FU	Previous Date Filled	RW **R**		CCYYMMDD format. Required when needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> (Same as Imp Guide).
531-FV	Quantity of Previous Fill	RW **R**		Required when needed to supply additional information for the utilization conflict. Payer Requirement: (Same as Imp Guide).
532-FW	Database Indicator	R**R**	2	2 = Medi-Span
544-FY	DUR Free Text Message	RW **R**		Required when needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> (Same as Imp Guide).

Response COB / Other Payer Segment

Optional

Optionally used when the Transaction Response Status (112-AN) is A (accepted), P (paid) or D (duplicate of paid). Not included in reversal responses.

Field ID	Name	Designation	Value(s)	Comments
111-AM	Segment Identification	М	28	Response DUR / PPS segment
355-NT	Other Payer ID Count	М	1 to 3	Maximum count of 3.
338-5C	Other Payer Coverage Type	M**R**	Blank, Ø1 to Ø9	Refer to External Code List for value definitions.
339-6C	Other Payer ID Qualifier	RW **R**	Ø3	Ø3 = Bank Information Number (BIN) Required when Other Payer ID (34Ø-7C) is used.
34Ø-7C	Other Payer ID	RW **R**		Bank Information Number (BIN). Required when the other payer has BIN.
991-MH	Other Payer Processor Control Number	O**R**		
356-NU	Other Payer Cardholder ID	O**R**		



992-MJ	Other Payer Group ID	O**R**	
142-UV	Other Payer Person Code	O**R**	
144-UX	Other Payer Benefit Effective Date	O**R**	CCYYMMDD format.
145-UY	Other Payer Benefit Termination Date	O**R**	CCYYMMDD format.

Document Change Log

Release Date	Notable Changes